


Flexitallic®

QUALITY WORLDWIDE

















GASKET IDENTIFICATION GUIDE RING COLOR CODING

COLOR CODING FOR THE GASKETS YOU NEED


Gaskets are color coded to help expedite the selection and identity of the gaskets you need. The color of the outside edge of the centering ring identifies both the winding and filler materials. The Flexitallic color code meets the industry standard for metal and filler materials which has been adopted by ASME B16.20 and the Metallic Gasket division of the Fluid Sealing Association.




METALLIC WINDING MATERIALS




continuing **METALLIC WINDING MATERIALS**




Nickel 200
Red



Zirconium
No Color




Carbon Steel
Silver




Monel
Orange


NONMETALLIC FILLER MATERIALS




PTFE
White Stripe




Flexicarb®
Grey Stripe




Flexite Super®
Pink Stripe



Ceramic
Light Green Stripe



Thermiculite™ 735
Fluorescent Green Stripe



Thermiculite™ 835
Light Blue Stripe

Information relating to Flexitallic's products as supplied is given in good faith, but Flexitallic and/or any of its divisions and/or any person, company or body acting on behalf of Flexitallic or any of its divisions shall not be responsible for any damage, direct or indirect or liability arising out of or in connection with the same.

Flexitallic L.P.

6915 Highway 225
Deer Park, TX 77536
Tel: 281-604-2400
Fax: 281-604-2415

www.flexitallic.com

Other affiliated companies in Australia, Canada, Czech Republic, Germany, Holland, India, Malaysia, Mexico, New Zealand, Norway, Saudi Arabia, Scotland, Singapore, Thailand, and Venezuela

A Member of The

Flexitallic
Group®

Welcome to The Next Generation in Sealing Technology